

Monthly Overflow Report

Date Range: February, 2018

Central WWTP NPDES# TN 0020575

#	Overflow Name	Start Date	End Date	Duration	Volume (mg)	Rainfall	Overflow Cause	Remarks
Sanitary Sewer Overflows								
000	14812034	02/01/18	02/01/18	1 hours	0.00001	0.18	Grease	832 Irma Dr - Cleaned Line
000	07504230	02/02/18	02/02/18	0.5 hours	0.0001		Roots	4751 Lebanon Pk - Cleaned Line
000	09206135	02/03/18	02/03/18	4 hours	0.0001	0.03	Grease	2821 Clifton Ave - Cleaned Line
000	11715017	02/04/18	02/04/18	1.5 hours	0.0001	0.71	Grit/Debris	4108 Lone Oak Rd - Cleaned Line
000	11907147	02/07/18	02/08/18	24 hours	0.03	1.60	Rainfall	0 Old Glenrose Ave - Est 20 GPM
000	11907049	02/07/18	02/08/18	24 hours	0.4	1.60	Rainfall	765 Old Glenrose Ave - Est 250 GPM
000	11907146	02/07/18	02/08/18	24 hours	0.3	1.60	Rainfall	431 East Thompson Ln - Est 200 GPM
000	13201056	02/09/18	02/09/18	1 hours	0.00001	0.01	Grit/Debris	979 Greerland Dr - Cleaned Line
000	09704033	02/10/18	02/11/18	21.5 hours	0.0001	3.68	Rainfall	4058 Lake Pky
000	09704023	02/10/18	02/11/18	27 hours	0.0001	3.68	Rainfall	5972 Port Anadarko Tr
000	08114032	02/10/18	02/12/18	49 hours	0.001	3.66	Grit/Debris	2622 W Heiman St
000	11907049	02/11/18	02/13/18	47 hours	0.7	3.56	Rainfall	765 Old Glenrose Ave - Est 250 GPM
000	11907146	02/12/18	02/13/18	29 hours	0.43	3.56	Rainfall	431 E Thompson Ln - Est 250 GPM
000	08614061	02/14/18	02/14/18	3 hours	0.0001	0.36	Grease	3824 Central Pk - Cleaned Line
000	17205030	02/16/18	02/16/18	4 hours	0.00001	0.14	Grit/Debris	6007 Cloverland Dr - Cleaned Line
000	08114032	02/17/18	02/18/18	9 hours	0.001	1.75	Grit/Debris	2622 W Heiman St
000	13304049	02/18/18	02/18/18	5 hours	0.0001		Grit/Debris	1022 Antioch Pk - Cleaned Line
000	08114032	02/22/18	02/22/18	2 hours	0.0001	0.39	Grit/Debris	2622 W Heiman St - Cleaned Line
000	01203021	02/24/18	02/25/18	16 hours	0.00001	1.49	Force Main	609 Sunnyslope Ct - Repaired FM
000	07210082	02/26/18	02/26/18	2 hours	0.0001	0.07	Grit/Debris	1643 Northview Ave - Cleaned Line
000	16309061	02/27/18	02/27/18	1 hours	0.0001		Grit/Debris	5406 Target Dr - Cleaned Line
102	Smith Springs PS	02/07/18	02/07/18	8.25 hours	0.567	1.77	Rainfall	Infiltration/inflow. EQ Full.
102	Smith Springs PS	02/10/18	02/11/18	35.5 hours	4.327	3.20	Rainfall	Infiltration/inflow. EQ Full
102	Smith Springs PS	02/17/18	02/17/18	1.75 hours	0.025	1.47	Rainfall	Infiltration/inflow. Station at rated capacity.
103	McCroy Creek PS	02/10/18	02/11/18	15.33 hours	0.321	3.66	Rainfall	Infiltration/inflow. Station at rated capacity.
122	Clover Bottom PS	02/10/18	02/11/18	24.5 hours	2.6	3.66	Rainfall	Infiltration/inflow. Station at rated capacity.

Monthly Overflow Report

Date Range: February, 2018

130	Brown's Creek PS	02/10/18	02/11/18	31.33 hours	0.922	0.93	Rainfall	Infiltration/inflow. Station at rated capacity.
134	Riverside Drive PS	02/07/18	02/07/18	12 hours	0.2	1.33	Rainfall	Infiltration/inflow. Station at rated capacity.
134	Riverside Drive PS	02/10/18	02/12/18	41.5 hours	0.7	3.66	Rainfall	Infiltration/inflow. Station at rated capacity.
134	Riverside Drive PS	02/17/18	02/18/18	15 hours	0.25	1.75	Rainfall	Infiltration/inflow. Station at rated capacity.
134	Riverside Drive PS	02/21/18	02/22/18	23 hours	0.4	1.76	Rainfall	Infiltration/inflow. Station at rated capacity.
134	Riverside Drive PS	02/24/18	02/25/18	17 hours	0.3	1.72	Rainfall	Infiltration/inflow. Station at rated capacity.
140	28th Avenue PS / Centennial	02/10/18	02/11/18	17.5 hours	3.473	3.66	Rainfall	Infiltration/inflow. Station at rated capacity.
140	28th Avenue PS / Centennial	02/17/18	02/17/18	2.17 hours	0.022	1.75	Rainfall	Infiltration/inflow. Station at rated capacity.
158	Farmingham Woods PS	02/07/18	02/07/18	5 hours	0.2	1.69	Rainfall	Infiltration/inflow. Station at rated capacity.
158	Farmingham Woods PS	02/10/18	02/11/18	11 hours	0.5	3.66	Rainfall	Infiltration/inflow. Station at rated capacity.
158	Farmingham Woods PS	02/17/18	02/17/18	7.5 hours	0.4	1.59	Rainfall	Infiltration/inflow. Station at rated capacity.
161	Longhunter Chase SPS	02/07/18	02/07/18	15 hours	1	1.73	Rainfall	Infiltration/inflow. Station at rated capacity.
161	Longhunter Chase SPS	02/10/18	02/11/18	29 hours	1.5	2.29	Rainfall	Infiltration/inflow. Station at rated capacity.
161	Longhunter Chase SPS	02/17/18	02/18/18	12.75 hours	0.5	1.64	Rainfall	Infiltration/inflow. Station at rated capacity.
161	Longhunter Chase SPS	02/25/18	02/25/18	5 hours	0.2	1.28	Rainfall	Infiltration/inflow. Station at rated capacity.
176	Dodson Chapel PS	02/11/18	02/12/18	42.58 hours	5.314	3.66	Rainfall	Infiltration/inflow. Station at rated capacity.
179	Fairway Center PS	02/11/18	02/12/18	16 hours	0.5	3.53	Rainfall	Infiltration/inflow. Station at rated capacity.
183	Mill Creek PS	02/07/18	02/08/18	17 hours	0.2	1.69	Rainfall	Infiltration/inflow. Station at rated capacity.
183	Mill Creek PS	02/10/18	02/15/18	139 hours	1.5	4.02	Rainfall	Infiltration/inflow. Station at rated capacity.
183	Mill Creek PS	02/17/18	02/23/18	145 hours	1.5	2.42	Rainfall	Infiltration/inflow. Station at rated capacity.
183	Mill Creek PS	02/25/18	03/04/18	98 hours	1	2.50	Rainfall	Infiltration/inflow. Station at rated capacity.
188	South Oak Hill PS	02/10/18	02/11/18	30.5 hours	2	3.70	Rainfall	Infiltration/inflow. Station at rated capacity.
189	Langford Farms PS	02/10/18	02/11/18	12 hours	0.2	3.68	Rainfall	Infiltration/inflow. Station at rated capacity.
190	Towne Village PS	02/11/18	02/11/18	2 hours	0.01	3.20	Rainfall	Infiltration/inflow. Station at rated capacity.
222	Barker Road	02/07/18	02/08/18	10.08 hours	0.763	1.69	Rainfall	Infiltration/inflow. Station at rated capacity.
222	Barker Road	02/10/18	02/16/18	119.09 hours	24.536	4.18	Rainfall	Infiltration/inflow. Station at rated capacity.
222	Barker Road	02/17/18	02/23/18	138.08 hours	8.99	2.42	Rainfall	Infiltration/inflow. Station at rated capacity.
222	Barker Road	02/25/18	02/28/18	90.75 hours	8.394	2.50	Rainfall	Infiltration/inflow. Station at rated capacity.
226	Cowan St. Relief Bleeder	02/10/18	02/10/18	5.5 hours	0.352	2.82	Rainfall	Infiltration/inflow. Station at rated capacity.
226	Cowan St. Relief Bleeder	02/17/18	02/17/18	2.92 hours	0.163	1.62	Rainfall	Infiltration/inflow. Station at rated capacity.

Monthly Overflow Report

Date Range: February, 2018

226	Cowan St. Relief Bleeder	02/21/18	02/22/18	4.17 hours	0.564	2.67	Rainfall	Infiltration/inflow. Station at rated capacity.
374	Foster Ave	02/07/18	02/08/18	22 hours	0.07	1.53	Rainfall	2803 Foster Ave - Est 50 GPM
384	501 Bismark Dr.	02/07/18	02/09/18	46 hours	1.4	1.69	Rainfall	501 Bismark Dr - Est 500 GPM
384	501 Bismark Dr.	02/12/18	02/13/18	28 hours	0.84	3.66	Rainfall	501 Bismark Dr - Est 500 GPM

Monthly Overflow Report

Date Range: February, 2018

Dry Creek WWTP NPDES# TN0020648

#	Overflow Name	Start Date	End Date	Duration	Volume (mg)	Rainfall	Overflow Cause	Remarks
Sanitary Sewer Overflows								
000	05201012	02/23/18	02/23/18	1 hours	0.0001		Grit/Debris	324 Forest Park Rd - Cleaned Line
106	Vandiver PS	02/07/18	02/07/18	6.67 hours	0.164	1.88	Rainfall	Infiltration/inflow. Station at rated capacity.
106	Vandiver PS	02/10/18	02/11/18	35.59 hours	1.967	3.72	Rainfall	Infiltration/inflow. Station at rated capacity.
106	Vandiver PS	02/21/18	02/22/18	4.5 hours	0.094	1.97	Rainfall	Infiltration/inflow. Station at rated capacity.
106	Vandiver PS	02/25/18	02/25/18	6.92 hours	0.053	1.68	Rainfall	Infiltration/inflow. Station at rated capacity.
109	Dry Creek PS	02/07/18	02/07/18	10.17 hours	1.856	1.62	Rainfall	Infiltration/inflow. Station at rated capacity.
109	Dry Creek PS	02/10/18	02/10/18	6 hours	0.63	2.75	Rainfall	Infiltration/inflow. Station at rated capacity.
110	Loves Branch PS	02/07/18	02/07/18	1.33 hours	0.004	1.62	Rainfall	Infiltration/inflow. Station at rated capacity.
110	Loves Branch PS	02/10/18	02/11/18	17.5 hours	0.747	3.53	Rainfall	Infiltration/inflow. Station at rated capacity.
110	Loves Branch PS	02/21/18	02/22/18	10.58 hours	0.462	2.14	Rainfall	Infiltration/inflow. Station at rated capacity.
112	Gibson Creek PS	02/07/18	02/07/18	1.83 hours	0.029	1.62	Rainfall	Infiltration/inflow. Station at rated capacity.
112	Gibson Creek PS	02/10/18	02/12/18	55.67 hours	0.987	3.53	Rainfall	Infiltration/inflow. Station at rated capacity.
112	Gibson Creek PS	02/17/18	02/17/18	6.92 hours	0.13	1.30	Rainfall	Infiltration/inflow. Station at rated capacity.
112	Gibson Creek PS	02/21/18	02/22/18	17.25 hours	0.355	2.14	Rainfall	Infiltration/inflow. Station at rated capacity.
112	Gibson Creek PS	02/25/18	02/25/18	6.83 hours	0.141	1.65	Rainfall	Infiltration/inflow. Station at rated capacity.
123	Lakewood PS	02/07/18	02/08/18	28 hours	0.5	1.88	Rainfall	Infiltration/inflow. Station at rated capacity.
127	Madison Heights PS	02/10/18	02/10/18	18 hours	5	3.54	Rainfall	Infiltration/inflow. Station at rated capacity.
127	Madison Heights PS	02/21/18	02/21/18	6 hours	0.1	2.14	Rainfall	Infiltration/inflow. Station at rated capacity.
150	Hidden Acres PS	02/10/18	02/12/18	41 hours	3.5	3.53	Rainfall	Infiltration/inflow. Station at rated capacity.
150	Hidden Acres PS	02/17/18	02/17/18	6.5 hours	0.5	1.30	Rainfall	Infiltration/inflow. Station at rated capacity.

Monthly Overflow Report

Date Range: February, 2018

Whites Creek WWTP NPDES# TN 0024970

#	Overflow Name	Start Date	End Date	Duration	Volume (mg)	Rainfall	Overflow Cause	Remarks
Sanitary Sewer Overflows								
000	04101021	02/07/18	02/08/18	13 hours	0.00001	2.04	Grit/Debris	5005 Cobblestone Creek Dr- Cleaned Line
000	05911027	02/11/18	02/12/18	17 hours	0.001	3.66	Rainfall	701 Rowan Dr
000	11613089	02/11/18	02/11/18	6.5 hours	0.00001	3.36	Rainfall	5104 Boxcroft Pl
000	10203068	02/18/18	02/20/18	49 hours	0.001		Grit/Debris	1098 Cleeces Ferry Rd - Cleaned Line
101	Bordeaux Hospital PS	02/10/18	02/11/18	12.5 hours	3.66	3.66	Rainfall	Infiltration/inflow. Station at rated capacity.
101	Bordeaux Hospital PS	02/17/18	02/17/18	3 hours	0.05	1.75	Rainfall	Infiltration/inflow. Station at rated capacity.
107	West Park PS	02/10/18	02/11/18	17.91 hours	1.67	3.50	Rainfall	Infiltration/inflow. Station at rated capacity.
114	Davidson Branch PS	02/04/18	02/04/18	2.58 hours	0.041	0.82	Rainfall	Infiltration/inflow. Station at rated capacity.
114	Davidson Branch PS	02/07/18	02/07/18	13.58 hours	0.951	1.16	Rainfall	Infiltration/inflow. Station at rated capacity.
114	Davidson Branch PS	02/10/18	02/11/18	45.5 hours	1.936	3.50	Rainfall	Infiltration/inflow. Station at rated capacity.
114	Davidson Branch PS	02/17/18	02/18/18	13.5 hours	0.679	1.66	Rainfall	Infiltration/inflow. Station at rated capacity.
114	Davidson Branch PS	02/21/18	02/22/18	22.75 hours	0.724	1.61	Rainfall	Infiltration/inflow. Station at rated capacity.
114	Davidson Branch PS	02/24/18	02/25/18	14.83 hours	0.647	1.55	Rainfall	Infiltration/inflow. Station at rated capacity.
114	Davidson Branch PS	02/28/18	02/28/18	2.33 hours	0.02	0.98	Rainfall	Infiltration/inflow. Station at rated capacity.
126	Cleeces Ferry PS	02/10/18	02/11/18	24 hours	0.5	3.50	Rainfall	Infiltration/inflow. Station at rated capacity.
128	Bordeaux Hills PS	02/10/18	02/11/18	17 hours	0.1	3.66	Rainfall	Infiltration/inflow. Station at rated capacity.
128	Bordeaux Hills PS	02/17/18	02/17/18	4.5 hours	0.05	1.75	Rainfall	Infiltration/inflow. Station at rated capacity.
145	Joelton PS	02/07/18	02/07/18	4 hours	0.01	1.16	Rainfall	Infiltration/inflow. Station at rated capacity.
145	Joelton PS	02/10/18	02/11/18	35 hours	0.1	3.51	Rainfall	Infiltration/inflow. Station at rated capacity.
145	Joelton PS	02/22/18	02/22/18	5.5 hours	0.02	1.55	Rainfall	Infiltration/inflow. Station at rated capacity.
145	Joelton PS	02/24/18	02/25/18	6 hours	0.02	1.63	Rainfall	Infiltration/inflow. Station at rated capacity.
172	Hillview	02/07/18	02/07/18	3 hours	0.05	1.45	Rainfall	Infiltration/inflow. Station at rated capacity.
172	Hillview	02/10/18	02/10/18	12.5 hours	0.5	2.97	Rainfall	Infiltration/inflow. Station at rated capacity.
172	Hillview	02/17/18	02/17/18	3.5 hours	0.1	1.42	Rainfall	Infiltration/inflow. Station at rated capacity.
172	Hillview	02/22/18	02/23/18	24 hours	0.5	2.02	Rainfall	Infiltration/inflow. Station at rated capacity.
172	Hillview	02/25/18	02/26/18	37 hours	1	1.49	Rainfall	Infiltration/inflow. Station at rated capacity.

Monthly Overflow Report

Date Range: February, 2018

217	Basswood Ave.	02/10/18	02/11/18	37.33 hours	1.428	3.50	Rainfall	516 Basswood Ave
-----	---------------	----------	----------	-------------	-------	------	----------	------------------